## **MAV 3230**

Dimensioni Dimension	62x70x112
Peso Weight	Kg 64
Alimentazione Electrical feeding	230/50/1 400/50/3
Potenza assorbita Absorbed power	0,22 Kw
Luce d'incollaggio Cementing width	230 mm



## **MAV 3230**

May 3230

Questa incollatrice modello MAV 3230 è adatta per incollare, mediante colle al neoprene o soluzioni di gomma, superfici della larghezza fino a 230 mm. Per tale sua caratteristica viene usata sia nelle lavorazioni delle calzature sia pure nella lavorazione di pelletteria. Su richiesta possiamo fornire l'incollatrice MAV 3230 corredata di tavolo appoggio lavoro. La macchina può essere fornita anche solo testa con motore trifase nei vari voltaggi; a richiesta possiamo montare motori monofase o a velocità variabile.

## **MAV 3230**

This MAV 3230 cementing machine is suitable for cementing 230 mm wide, surfaces by neoprene adhesives or rubber solutions. Tanks to this feature it can be used for footwear and leather goods processing. By request our MAV 3230 cementing machine can be provided with work support table. The machine can be also supplied with three-phase motor of different voltages; by request single-phase motors or variable speed ones are fitted.



OFF. MECC. ANGELERI S.R.L. Via Ruffini, 15/3 - 27029 VIGEVANO (PV) Tel. +39-0381.71519 -Fax +39-0381.72742 Cod.Fisc. e P.IVA: 01163890187

E-mail: info@angeleri.it - www.angeleri.it