

DESCRIZIONE

Questo nuovo modello di macchina esegue la garbatura tipo jourdan del bordo di suole in cuoio o materiale sintetico, per mezzo di un rullo sagomato

universale su tutti i modelli di suole, senza dover preparare stampi o dime.

La macchina è dotata di un rullo piegatore dalla parte del carniccio, per ottenere una garbatura perfetta.

Con la JB 610 la garbatura risulta più accentuata e migliora così la chiusura tra lasuola ed il fondo della scarpa.

DATI TECNICI

DIMENSIONI	900x900 - h 1450 mm
PESO NETTO	Kg 185
PRESSIONE PNEUMATICA	6 Bar
ASSORBIMENTO TOTALE	1.4 Kw
ALIMENTAZIONE ELETTRICA	400 V 50 Hz

Le illustrazioni sono dimostrative e possono cambiare a seconda delle esigenzza del costruttore.

DESCRIPTION

This type of machine execute the Jourdan premoulding on the edge of Leather soles or synthetic material, through an universal shaped roll on all models of sole, without to prepare the moulds or template.

The machine has a folding roll on the flashings part of the sole, to obtain an perfect premoulding.

With JB 610 the premoulding will be more accentuated and it will make better the closing between the sole and the bottom of the shoe.

TECHNICAL SPECS

DIMENSIONS	900x900 - h 1450 mm
NET WEIGHT	Kg 185
PNEUMATIC PRESSURE	6 Bar
TOTAL ABSORPTION	1.4 Kw
POWER SUPPLY	400 V 50 Hz

The illustrations are demonstrative and may change depending on the manufacturer's requirements.



JB 610
GARBATRICE BORDOSUOLA